



Point, line and cross-line lasers



ROOM DESIGN AND INTERIOR FURNISHINGS


Precise instrumentation for bare structure finishing and interior decoration. Use the right tools to make professional, quick alignments, even over longer distances. Demanding do-it-yourself enthusiasts and building professionals alike will find right instruments in our selection – for renovating, remodelling, on the building site, or anywhere precision is called for!

Powerful technology



AUTOMATIC LEVEL

Automatic alignment of the device with a magnetically dampened pendulum system. The devices are set to their initial position and align themselves automatically in a matter of seconds.



Laser classes



lock

Transport LOCK: Units with "Automatic Level" are protected with a pendulum lock during transport.



magnetic

For many measuring tools, the key to optimum working is magnetic adhesion. This leaves the hands free to complete other tasks.



PowerBright LASER

Devices with PowerBright technology feature special high-performance diodes to produce super bright laser lines. These remain visible over longer distances, in bright ambient light and on dark surfaces.



Tripod connection for optimal alignment of the instrument.



RX-READY

RX-READY technology enables line lasers to be used even in unfavourable light conditions. The laser lines pulsate at a high frequency and this can be picked up by special laser receivers over long distances.



Laserliner instruments are available in sturdy carrying bags or hard-shell cases. SOFT: softbag
HARD: plastic carry case



Room design and interior furnishings

Overview





	SuperSquare-Laser	SuperCross-Laser Compact	SuperCross-Laser 2	SuperCross-Laser 3	SuperCross-Laser 2P	AutoCross-Laser 360°
System	2V	1H / 1V	1H / 1V	1H / 2V	1H / 1V / 1P	3H / 1V
Brightness	standard	standard	standard	standard	standard	PowerBright
Accuracy mm / 10 m	5	5	5	5	5	2
Number of laser lines	2	2	2	3	2	4
Plumb laser					•	
Levelling range		4°	4.5°	5°	4°	2.5°
Levelling principle	manual	Automatic-Level	Automatic-Level	Automatic-Level	Automatic-Level	Automatic-Level
Slope mode	manual	manual	manual	manual	manual	manual
Receiver mode					•	•
Laser class	2	2	2	2	2	2M

• = available




RangeXtender30 Mag




The space grids show the number and direction of laser lines.
H = Number of horizontal lasers
P = Plumb laser up and down
V = Number of vertical lasers
S = Slope function



Room design and interior furnishings



SuperCross-Laser Compact



Pocket-size automatic cross-line laser
 - 4° self-levelling range, accuracy 5 mm / 10 m
 - Additional slope mode to align angled surfaces.
 - Folding supporting feet ensure a stable position during alignment work but are conveniently tucked away for carrying.

Inclusive: SuperCross-Laser Compact, softbag, battery





Laser 635 nm
 2
 AUTOMATIC LEVEL
 lock
 1x AA

PT

ORDER NO.	EAN-CODE	PU
081.124A	4 021563 670857	5

SOFT

SuperCross-Laser 2



Laser for interior finishing work featuring 2 laser lines
 - 4.5° self-levelling range, accuracy 5 mm / 10 m
 - Tilt mode is an additional feature that permits gradients to be laid out.
 - The device's height-adjustable bracket means that it can be mounted on a tripod or attached directly to the wall.

Inclusive: SuperCross-Laser 2, height-adjustable bracket, softbag, batteries



Laser 635 nm
 2
 AUTOMATIC LEVEL
 lock
 magnetic
 1/4" 5/8" 4x AA

PT



ORDER NO.	EAN-CODE	PU
081.120A	4 021563 662708	5

SOFT

Room design and interior furnishings



SuperCross-Laser 3



The cross-line laser with additional reference line
 - With 3 laser lines: front cross-line laser and 90° laser on the side
 - 5° self-levelling range, accuracy 5 mm / 10 m
 - Tilt mode is an additional feature that permits gradients to be laid out.
 - The device's height-adjustable bracket means that it can be mounted on a tripod or attached directly to the wall.



Inclusive: SuperCross-Laser 3, height-adjustable bracket, softbag, batteries

ORDER NO.	EAN-CODE	PU
081.140A	4 021563 668441	5

PT

Laser 635 nm
 2M
 AUTOMATIC LEVEL
 lock
 magnetic
 1/4"
 5/8"
 4x AA
 SOFT

SuperCross-Laser 2P



Laser for interior finishing work featuring 2 laser lines
 - 4° self-levelling range, accuracy 5 mm / 10 m
 - Additional plumb laser at top and bottom
 - Tilt mode is an additional feature that permits gradients to be laid out.
 - The device's height-adjustable bracket means that it can be mounted on a tripod or attached directly to the wall.
 - RX-Ready: The laser receiver, which is available as an optional extra, can detect laser lines in a range of up to 30 m - ideal for outdoor applications.

Inclusive: SuperCross-Laser 2P, height-adjustable bracket, softbag, batteries

ORDER NO.	EAN-CODE	PU
081.125A	4 021563 670864	5

PT


optional: Laser receiver RX 30 Mag. RangeXtender, including battery and universal mount

033.25A	4 021563 672394	5
---------	-----------------	---

Laser 635 nm
 2M
 AUTOMATIC LEVEL
 lock
 magnetic
 RX READY
 1/4"
 5/8"
 4x AA
 SOFT



Room design and interior furnishings




SuperCross-Laser 2 set

NEW



Automatic cross-line laser with compact tripod 120 cm
 – Product description SuperCross-Laser 2 on Page 52



Inclusive: SuperCross-Laser 2, height-adjustable bracket, softbag, compact tripod 120 cm, batteries

ORDER NO.	EAN-CODE	PU
081.126A	4 021563 671687	2



PT

SuperCross-Laser set 330 cm



UNLIMITED MOVE

Automatic cross-line laser with telescopic tripod 330 cm
 – Product description SuperCross-Laser 2 on Page 52



Inclusive: SuperCross-Laser 2, height-adjustable bracket, softbag, 330 cm telescopic stand incl. softbag, telescopic adapter, batteries

ORDER NO.	EAN-CODE	PU
081.121A	4 021563 663996	2



PT

SuperCross-Laser 3 set 330 cm

NEW



UNLIMITED MOVE

Cross-line laser with additional reference line with telescopic tripod 330 cm
 – Product description SuperCross-Laser 3 on Page 53

Soon available.



Inclusive: SuperCross-Laser 3, height-adjustable bracket, softbag, 330 cm telescopic stand incl. softbag, telescopic adapter, batteries

ORDER NO.	EAN-CODE	PU
081.141A	4 021563 679782	2



PT


SuperCross-Laser 2P RX set 150 cm

NEW



Automatic cross-line laser with laser receiver and compact tripod 150 cm
 – Product description SuperCross-Laser 2P on Page 53

Soon available.



Inclusive: SuperCross-Laser 2P, height-adjustable bracket, softbag, RangeXtender RX 30, universal mount, compact tripod 150 cm incl. softbag, batteries

ORDER NO.	EAN-CODE	PU
081.128A	4 021563 679775	2



PT

SuperCross-Laser 2P RX set 330 cm

NEW



UNLIMITED MOVE

Automatic cross-line laser with laser receiver and telescopic tripod 330 cm
 – Product description SuperCross-Laser 2P on Page 53



Inclusive: SuperCross-Laser 2P, height-adjustable bracket, softbag, RangeXtender RX 30, universal mount, 330 cm telescopic stand incl. softbag, telescopic adapter, batteries

ORDER NO.	EAN-CODE	PU
081.127A	4 021563 679423	2



PT

Interior finishing and building



RangeXtender 51



Laser receiver for all line lasers with RX-READY technology

- Fast alignment work in close and long range
- With RX-READY, the laser lines pulsate at a high frequency. This pulsation allows the range extender to detect laser lines up to a maximum of 50 m away.
- The universal mount enables the device to be attached to levelling staffs.

Optional: softbag

Not suitable for green lasers.

Inclusive: universal mount, battery

ORDER NO.	EAN-CODE	PU
RX 51	033.20-1 4 021563 662920	1
Softbag	033.21 4 021563 663859	1



RangeXtender 52
TwinLevel



Laser receiver for all line lasers with RX-READY technology

- Two different sensitivity levels in close and long range
- With RX-READY, the laser lines pulsate at a high frequency. This pulsation allows the range extender to detect laser lines up to a maximum of 50 m away.
- The universal mount enables the device to be attached to levelling staffs.

Optional: softbag

Not suitable for green lasers.

Inclusive: universal mount, battery

ORDER NO.	EAN-CODE	PU
RX 52	033.20-2 4 021563 670895	1
Softbag	033.21 4 021563 663859	1



GreenRangeXtender 30

NEW



Laser receiver for all line lasers with GRX-READY technology

- Two different sensitivity levels in close and long range
- With GRX-READY, the laser lines pulsate at a high frequency. This pulsation allows the range extender to detect laser lines up to a maximum of 30 m away.
- The universal mount enables the device to be attached to levelling staffs.

Not suitable for red lasers.

Soon available.

Inclusive: universal mount, battery

ORDER NO.	EAN-CODE	PU
033.30	4 021563 682317	1




Magnetic target plate
red / green



For all rotary lasers or laser instruments

- With adhesion magnets and dual scale
- e.g. for lowering ceilings



ORDER NO.	EAN-CODE	
023.61A	4 011879 643980	red
023.65	4 021563 663439	green



Laser enhancement
glasses red / green



Optimum visibility of the laser marker from distance

- Please make sure these are always used in outdoor applications involving green laser instruments.

ORDER NO.	EAN-CODE	
020.70A	4 011879 644000	red
020.71	4 021563 663446	green

