




VIDEO INSPECTION

Special applications and requirements such as in building installations technology demand innovative solutions to ensure optimum utilisation. The smaller and more stable the camera unit the more varied the applications – whether used at home, in industry or by craftsmen.



VideoFlex G2:
MultiConnect system




Different sized camera heads
for various applications



TopClips G2 accessory:
Clip mechanism for easy
attachment and removal
on 9 mm camera head

Overview



	VideoScope	VideoScope Micro	VideoFlex G2
Colour display	•	•	•
180° image rotation	•	•	•
Zoom function	•	•	•
LED lighting	•	•	•
Image recording	•	•	•
Video recording			•
Length of flex cable	1,0 m	1,5 m	1,5 m / 10 m
Camera head ø	17 mm	6 mm	6 / 9 mm
TopClips accessory			•

• = available ◦ = optional



Digital endoscopes



VideoScope



Compact inspection camera for visual inspections of areas which are difficult to access

- The camera head on the flexible cable transmits images directly to the LC monitor.
- Bright LED lighting means that the camera is able to provide clear video images even when lighting conditions are at their poorest.
- The compact camera head is small enough to inspect even inaccessible areas.
- Manual image rotation by 180° on the monitor
- Camera head: ø 17 mm



Inclusive: VideoScope 1 m / Focus 25 cm, batteries



ORDER NO.	EAN-CODE	PU
082.058A	4 021563 672387	2

PT

640 x 480 pixel	ZOOM 2x	LED LIGHT	180°	2.7" LCD	IP 67	4x AA
-----------------	---------	-----------	------	----------	-------	-------

VideoScope Micro

NEW



Compact inspection camera for visual inspections of areas which are difficult to access

- The camera head on the flexible cable transmits images directly to the LC monitor.
- Bright LED lighting means that the camera is able to provide clear video images even when lighting conditions are at their poorest.
- The compact camera head is small enough to inspect even inaccessible areas.
- Manual image rotation by 180° on the monitor
- Camera head: ø 6 mm



Inclusive: VideoScope Micro 1,5 m / Focus 5 cm, batteries, softbag



ORDER NO.	EAN-CODE	PU
082.059A	4 021563 679713	2

PT

640 x 480 pixel	ZOOM 2x	LED LIGHT	180°	2.7" LCD	IP 68	4x AA
-----------------	---------	-----------	------	----------	-------	-------

Soon available.

Digital endoscopes

VideoFlex G2

NEW



Professional video inspection system for visually inspecting areas that are difficult to access – also over great distances

- The camera head on the flexible cable transmits images directly to the LC monitor.
- Bright LED lighting means that the camera is able to provide clear still images and video recordings even when lighting conditions are at their poorest.
- The compact camera head is small enough to inspect even inaccessible areas.
- Multilingual on-screen display
- Image and video REC function: The recordings can be stored on an SD memory card for subsequent evaluation.
- Direct data transfer to PC
- Webcam function
- Camera unit can be replaced to suit application
- Manual image rotation by 180° on the monitor
- Camera head: ø 9 mm, Screen size: 3,0"

Soon available.

Optional: Systainer® Version with 1.5 m FibreCamera, Page 91



Inclusive: VideoFlex G2, SnakeCamera 10 m, batteries, carrying case



10 m
Focus 5 cm



- 1280 x 960 pixel
- REC
- USB
- ZOOM 4x
- LED LIGHT
- SD
- IP 68
- 4x AA


VideoFlex G2
Camera head ø 9 mm

ORDER NO.	EAN-CODE	PU
082.110A	4 021563 682294	2



VideoFlex G2 Accessories

NEW



Universal micro camera head has a fixed focus length of 5 cm

- Suitable for short-distance applications.
- FlexCamera G2 1,5 m
Camera head: ø 9 mm, Focus: 5 cm, IP 68
- FibreCamera G2 Micro 1,5 m
Camera head: ø 6 mm, Focus: 5 cm, IP 68

Only for VideoFlex G2.

Soon available.

ORDER NO.	EAN-CODE	PU
ø 9 mm 082.122A	4 021563 679744	2
ø 6 mm 082.121A	4 021563 679737	2

- 1280 x 960 pixel
- LED LIGHT
- IP 68



TopClips G2

NEW



Inspection accessory for VideoFlex G2

- Magnet, mirror and hook attachment for mounting on camera head
- Suitable for 9 mm camera head
- Clip mechanism for easy attachment and removal

Only for SnakeCamera and FlexCamera.

Soon available.



ORDER NO.	EAN-CODE	PU
082.123A	4 021563 680610	2

